

TENTATIVE
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION
ORDER R5-2022-XXXX
RESCINDING VARIOUS WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board), finds that the Board adopted the following Order, which is no longer applicable for the following reasons:

**OLAM WEST COAST, INC. AND T&P FARMS, OLAM WEST COAST
WILLIAMS FACILITY, COLUSA COUNTY, WASTE DISCHARGE
REQUIREMENTS ORDER R5-2018-0006**

Waste Discharge Requirements (WDRs) Order R5-2018-0006, adopted on 1 February 2018, prescribes requirements for the Olam West Coast Williams Facility in Colusa County. Olam West Coast, Inc. (Olam), owner and operator of Olam West Coast Williams Facility, submitted a request to rescind the WDRs. Olam has ceased industrial processing operations in December 2019. A Closure Workplan and Final Closure Report have been submitted and therefore, it is appropriate to rescind Order R5-2018-0006.

IT IS HEREBY ORDERED that the above Order is rescinded as of the date of this Order.

I, PATRICK PULUPA, Executive Officer, do hereby certify the forgoing is a full, true, and correct copy of an Order adopted by the Central Valley Regional Water Quality Control Board, Central Valley Region on XX Month 2022.

TENTATIVE

PATRICK PULUPA, Executive Officer